

CORRECTION

Open Access



# Correction: YouTube online videos as a source for patient education of cervical spondylosis—a reliability and quality analysis

Wang Hong<sup>1†</sup>, Yan Chunyi<sup>1†</sup>, Wu Tingkui<sup>1</sup>, Zhang Xiang<sup>1</sup>, He Junbo<sup>1</sup>, Liu Zhihao<sup>1</sup> and Liu Hao<sup>1\*</sup>

**Correction:** *BMC Public Health* 23, 1831 (2023)  
<https://doi.org/10.1186/s12889-023-16495-w>

The original publication of this article [1] contained the redundant column “CSSS” in Table 9. The incorrect and correct version of table 9 are published in this correction article. The original article has been updated.

---

<sup>†</sup>Wang Hong and Yan Chunyi contributed equally to this work.

The original article can be found online at <https://doi.org/10.1186/s12889-023-16495-w>.

\*Correspondence:

Liu Hao  
liuhao6304@hotmail.com

<sup>1</sup> Department of Orthopedics, West China Hospital, Sichuan University,  
#37 Guoxue Alley, Wuhou District, Chengdu, Sichuan, China



Incorrect version of Table 9 as originally published

	Unstandardized $\beta$	SE	95% CI	Standardized $\beta$	P value	CSSS
<b>VPI (R<sup>2</sup> = 0.624)</b>						
Number of comments	0.583	0.105	0.374 – 0.791	0.549	< 0.001	14.28 ± 5.65
Uploader verification	122.362	56.786	9.579 – 235.144	0.213	0.034	
Sum of subscribers (× 10 <sup>-3</sup> )	-0.061	0.023	-0.107—0.014	-0.272	0.011	
Video content						8.30 ± 5.63
CS-specific information	Ref					
Exercise training	164.943	57.479	50.784 – 279.103	0.293	0.005	
<b>JAMA (R<sup>2</sup> = 0.526)</b>						
Video duration (× 10 <sup>-3</sup> )	0.295	0.063	0.170 – 0.419	0.378	< 0.001	
Like ratio	0.045	0.012	0.021 – 0.070	0.290	< 0.001	
Uploader verification	0.597	0.189	0.221 – 0.973	0.270	0.002	
Video source						
Medical source	Ref					
Academic	0.609	0.199	0.213 – 1.005	0.269	0.003	
<b>mDISCERN (R<sup>2</sup> = 0.549)</b>						
Video duration (× 10 <sup>-3</sup> )	0.336	0.082	0.174 – 0.498	0.316	< 0.001	
Like ratio	0.063	0.016	0.031 – 0.095	0.295	< 0.001	
Video source						
Medical source	Ref					
Academic	0.923	0.254	0.420 – 1.426	0.299	< 0.001	
Trainer	-1.504	0.440	-2.377—0.631	-0.247	0.001	
<b>GQS (R<sup>2</sup> = 0.689)</b>						
Video duration (× 10 <sup>-3</sup> )	0.604	0.074	0.456 – 0.751	0.607	< 0.001	
Video source						
Medical source	Ref					
Academic	0.730	0.216	0.300 – 1.159	0.253	0.001	
Clinician	0.689	0.214	0.263 – 1.114	0.233	0.002	
Video content						
CS-specific information	Ref					
Exercise training	-0.653	0.278	-1.205—0.101	-0.236	0.021	
Advertisement	-0.668	0.251	-1.166—0.169	-0.180	0.009	
<b>CSSS (R<sup>2</sup> = 0.673)</b>						
Video duration (× 10 <sup>-3</sup> )	3.140	0.382	2.382 – 3.899	0.603	< 0.001	
Video source						
Medical source	Ref					
Academic	3.345	1.174	1.015 – 5.676	0.222	0.005	
Clinician	3.112	1.113	0.902 – 5.322	0.201	0.006	
Non-clinician	-2.412	1.052	-4.500—0.324	-0.186	0.024	
Trainer	-4.657	2.152	-8.931—0.384	-0.156	0.033	
SE, standard error; CI, confidence interval; VPI, video power index; JAMA, Journal of American Medical Association; mDISCERN, modified DISCERN; GQS, Global Quality Scale; CSSS, Cervical-Spondylosis-Specific Scale						6.46 ± 2.87

Correct version of Table 9

	Unstandardized $\beta$	SE	95% CI	Standardized $\beta$	P value
<b>VPI (<math>R^2 = 0.624</math>)</b>					
Number of comments	0.583	0.105	0.374 – 0.791	0.549	< 0.001
Uploader verification	122.362	56.786	9.579 – 235.144	0.213	0.034
Sum of subscribers ( $\times 10^{-3}$ )	-0.061	0.023	-0.107 – -0.014	-0.272	0.011
Video content					
CS-specific information	Ref				
Exercise training	164.943	57.479	50.784 – 279.103	0.293	0.005
<b>JAMA (<math>R^2 = 0.526</math>)</b>					
Video duration ( $\times 10^{-3}$ )	0.295	0.063	0.170 – 0.419	0.378	< 0.001
Like ratio	0.045	0.012	0.021 – 0.070	0.290	< 0.001
Uploader verification	0.597	0.189	0.221 – 0.973	0.270	0.002
Video source					
Medical source	Ref				
Academic	0.609	0.199	0.213 – 1.005	0.269	0.003
<b>mDISCERN (<math>R^2 = 0.549</math>)</b>					
Video duration ( $\times 10^{-3}$ )	0.336	0.082	0.174 – 0.498	0.316	< 0.001
Like ratio	0.063	0.016	0.031 – 0.095	0.295	< 0.001
Video source					
Medical source	Ref				
Academic	0.923	0.254	0.420 – 1.426	0.299	< 0.001
Trainer	-1.504	0.440	-2.377 – -0.631	-0.247	0.001
<b>GQS (<math>R^2 = 0.689</math>)</b>					
Video duration ( $\times 10^{-3}$ )	0.604	0.074	0.456 – 0.751	0.607	< 0.001
Video source					
Medical source	Ref				
Academic	0.730	0.216	0.300 – 1.159	0.253	0.001
Clinician	0.689	0.214	0.263 – 1.114	0.233	0.002
Video content					
CS-specific information	Ref				
Exercise training	-0.653	0.278	-1.205 – -0.101	-0.236	0.021
Advertisement	-0.668	0.251	-1.166 – -0.169	-0.180	0.009
<b>CSSS (<math>R^2 = 0.673</math>)</b>					
Video duration ( $\times 10^{-3}$ )	3.140	0.382	2.382 – 3.899	0.603	< 0.001
Video source					
Medical source	Ref				
Academic	3.345	1.174	1.015 – 5.676	0.222	0.005
Clinician	3.112	1.113	0.902 – 5.322	0.201	0.006
Non-clinician	-2.412	1.052	-4.500 – -0.324	-0.186	0.024
Trainer	-4.657	2.152	-8.931 – -0.384	-0.156	0.033

SE standard error, CI confidence interval, VPI video power index, JAMA Journal of American Medical Association, mDISCERN modified DISCERN, GQS Global Quality Scale, CSSS Cervical-Spondylosis-Specific Scale

#### Reference

1. Hong W, et al. YouTube online videos as a source for patient education of cervical spondylosis—a reliability and quality analysis. *BMC Public Health*. 2023;23:1831. <https://doi.org/10.1186/s12889-023-16495-w>.